

## ER<sup>PLUS</sup> SERIES

*Price computing scales.*

by **CAS**  
S • C • A • L • E

### DESCRIPTION

The CASER<sup>PLUS</sup> Series with its reliable and flexible weighing functions and sophisticated design is possibly the best equipment for enhancing your business operation and process.

### HIGHLIGHTS

- Trade Approved (NMI No. 6/4D/345)
- Connect to Ticket (DEP-50) Printer
- High Resolution and Dual Interval Technology
- LCD Display
- Apply 5 Direct PLU's with 200 Indirect PLU's

\*PLU (Price-Look-Up) function: Preset keys for frequent transaction items and it's price. Easy and convenient.

- Functions: Calculation, Daily total, Auto Power-Off
- Adjustable Weighing Stability
- Dust Protection Cover



### FEATURES

#### DISPLAY OPTIONS

The ER<sup>PLUS</sup> comes with an LCD display. Choose between the standard non-pole type or pole type display. The pole type display is reversed so that clients are in full view of price and weight.



#### SOFT-TOUCH TACT SWITCH KEYPAD

Soft touch tact switch with silicon rubber keypad provides protection from such things as water, flour, dirt and other external objects interfering.





## AUTO-POWER OFF FUNCTION

The ER<sup>PLUS</sup> scale will automatically switch itself off if left unused for a set period of time.

## DOUBLE TRAY

Designed with both plastic and stainless steel trays that are made from heavy-duty and washable materials.

Stainless Steel >

Plastic >



## RECHARGEABLE BATTERY

The scale can be used up to 200 hours (LCD) after recharging the battery for 10 hours.



## DUAL INTERVAL, HIGH RESOLUTION

High resolution (1/3,000) and dual interval technology which allows the scale weighing intervals to automatically change when a certain amount of weight is loaded on the tray.



## TICKET PRINTING

The ER<sup>PLUS</sup> Series can be connected to DEP-50 (Ticket) printer via RS-232C interface. Once connected the ER<sup>PLUS</sup> Series can be used as a ticket printing scale. Furthermore, it is possible to modify the ticket format via PC ticket editing software that is provided.

CAS Corporation			
DATE: 06/01/07			
weight	unit price	total	
(kg)	(\$/kg)	(\$)	
-----			
Apple			
0.450	1.23	0.57	
Banana			
0.450	1.23	0.57	
Kiwi			
0.450	4.56	2.10	
-----			
Sum(\$)			3.24
Count			3
Payment(\$)			3.24
Change(\$)			0.00

Example Ticket



### OPTIONS

- Client View Pole Display
- RS-232C Interface (Connect to PC or Printers)
- Backlight
- Fish Tray
- DEP-50 Ticket Printer
- Protective Dust Cover



DEP-50 Printer



RS-232 Interface




Fish Tray






Protective Cover



### DIMENSIONS



ER<sup>PLUS</sup> (Standard)



ER<sup>PLUS</sup> (Pole Type)



### SPECIFICATIONS

Maximum Capacity	3kg/6kg	6kg/15kg	15kg/30kg
Readability	1g/2g	2g/5g	5g/10g
Maximum Tare	-2.999kg	-5.998kg	-14.995kg
Internal Resolution	1/60,000		
External Resolution	1/3,000		
Display Digits	5 x Weight, 6 x Unit Price, 6 x Total Price		
Display Type	LCD		
Operating Temp.	-10°C to 40°C		
Power	Rechargeable Battery, 12VDC Adaptor		
Battery Life	200 Hours		
Platter Size	304mm(W) x 220mm(D)		
Product Weight	Standard Type: 4.7kg Pole Type: 5.5kg		